





701, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai - 400 022. Tel.: 022-6149 7000

Free Home Service^:

022 4128 0000 shop.bajajelectricals.com

+91 70399 20000

^T&C apply. Please visit: www.bajajelectricals.com/terms-and-conditions/2020

Back Cover

Couer



OPENANEW WORLD OF POWERFUL PERFORMANCE AND SAFETY.



































INTRODUCTION

At Bajaj Electricals, we've been on a perpetual journey towards building the future and opening your world to new possibilities and new ways of living. Through innovation, technology and nuanced understanding of the consumers, our new age appliances and products are playing a meaningful role in the everyday lives of Indian families.

To elevate your product experience, we have introduced some incredible new features in our modern and aesthetically appealing Water Heater range. The Titanium Armour Technology improves durability and product life, and the Swirl Flow Technology keeps the water warm for a longer duration. For improved safety, it has a unique Auto-Shut Off feature and the Child Safety Mode avoids any unexpected mishaps. Our care for you and commitment to innovation has made us India's bestselling Water Heater brand*. We ensure that every product stands true in our benchmark quality test to set an example for the entire product category. As a result, letting you perfectly revitalize your soul as you start the day. Come explore a world of rejuvenation with us.

The claim of India's No. 1* Electric Water Heater Brand is based on an independent market research conducted by a 3rd party for the Financial Year 2020 - 2021.

FEATURES



Special inner tank coating for preventing corrosion and rusting. Results in long tank life.

TITANIUM ARMOUR



highly energy-efficient.



The water stays hot for a longer time, thanks to the Polyurethane foam inserted between the outer

PUF INSULATION



Adjust the temperature and timer from a distance of up to 20 feet.

REMOTE CONTROLLED



Wi-Fi enabled Android and iOS app enables access and operation of the water heater from anywhere in the world.

APP-ENABLED



The magnesium anode deposits magnesium in the cracks formed due to decay. Thus, ensuring

MAGNESIUM ANODE

5



Intelligent timer to pre-set the heat up time; saving energy and time. The settings are not disturbed even

Ensures 20% more hot water.

PRE-SETTING 24 HOURS IN ADVANCE



The digital display on the water heater shows the temperature of the hot water and time set,

DIGITAL DISPLAY



INTELLIGENT SCHEDULER



The Water Heater goes into
Standby Mode if the water is not used
within 90 minutes. This enhances



Ensures enhanced safety, as the cut-off temperature is marked at 50° Celsius, which safeguards the child from any accidental hazards.

CHILD SAFETY PROTECTION









Pressure withstanding capacity up to 8 bar (G+18 floors/270 feet).

SUITABLE FOR HIGH-RISE BUILDINGS



Prevents rusting and corrosion of water heater from outside, making the product last long.

EXTERNAL BODY



Waterproof sealed terminals with complete safety



Alerts when the surrounding oxygen level is lower than what is recommended for breathing.

DEPLETION SENSOR



Double ISI marking for performance & safety



If the flame gets extinguished, the gas flow will be stopped automatically.

FLAME FAILURE PROTECTION



Increases or decreases fuel burning rate which in turn controls the water temperature.

ADJUSTABLE



LED colour intensity changes with increasing water temperature indicating the readiness of hot water.



Nickel plated heating element for longer life



High warranty for complete peace of mind.

WARRANTY



SMART.iNXT





- Capacity: 10L
- Voice assisted with Amazon Alexa / Google Home
- IPX5 waterproof technology
- → ~App (iOS & Android) & Remote controlled operation
 - Can be operated from anywhere in the world using the app
- 100% shockproof
- Tank design is suitable to withstand 8 bar pressure
- Glass lined enamel coated inner tank & element
- Self-diagnosis
- Auto shut-off if water heater is kept idle for 60 minutes
- Fire retardant cable with plug
- Warranty: 2 / 4 / 7 years (Product / Element / Tank)
- Child Safety Temperature settings at 50°C

























BUILDINGS



Download the 'Bajaj.iNXT' App for iOS & Android.

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

CALDIA NXG

NEW



- Capacity: 10L, 15L & 25L
- Efficient long-life copper heating element
- Alluring design
- Shock-resistant ABS body
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 2 / 7 years (Product / Element / Tank)

CALENTA DIGI



- Capacity: 15L & 25L
- Glass lined enamel coated heating element
- Digital temperature display
- Feather touch buttons
- Shock-resistant injection moulded ABS body
- IPX4 waterproof technology
- Fire retardant cable with plug
- Remote controlled operation
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 4 / 7 years (Product / Element / Tank)

















ANODE







TECHNOLOGY









IN ADVANCE



MAGNESIUM ANODE







DISPLAY **BUILDINGS**

*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

COMPAGNO

NEW



- Capacity: 6L, 10L, 15L & 25L
- Efficient long-life copper heating element
- Shock-resistant ABS body
- Magnesium Anode Rod
- IPX4 waterproof technology
- Fire retardant cable with TOP plug
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 2 / 5 years (Product / Element / Tank)

CALENTA



- Capacity: 6L, 10L, 15L & 25L
- Glass lined enamel coated incoloy heating element*
- Temperature indicating dial
- Shock-resistant ABS outer body
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 3 / 7 years (Product / Element / Tank)



ARMOUR **TECHNOLOGY**



SWIRL FLOW TECHNOLOGY



INSULATION



BEE RATING

ADJUSTABLE THERMOSTAT



CHILD SAFETY PROTECTION



SWIRL FLOW ARMOUR **TECHNOLOGY TECHNOLOGY**



INSULATION



5-STAR **BEE RATING**



ADJUSTABLE **THERMOSTAT**



MAGNESIUM ANODE







PROTECTION

 $^{\prime\prime}$ Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change. *Applicable for 15L & 25L variants.

*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change. Images are for representation purpose only, actual product may vary in colour/size.

CALDIA



- Capacity: 6L, 10L, 15L & 25L
- Efficient long-life copper heating element
- Alluring design
- Shock-resistant ABS outer body
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 2 / 5 years (Product / Element / Tank)

VERRE 6L





- Capacity: 6L
- Efficient long-life copper heating element (3kW) with 33% faster heating
- LED indicator for power on and heating function
- Shock-resistant ABS outer body
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 2 / 5 years (Product / Element / Tank)



TECHNOLOGY



TECHNOLOGY







BEE RATING







ANODE



BUILDINGS



CHILD SAFETY **PROTECTION**







INSULATION



4-STAR BEE RATING



ANODE



"Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

 $^{\#}$ Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change. Images are for representation purpose only, actual product may vary in colour/size.

MONTAGE PLUS

NEW



- Capacity: 10L, 15L & 25L
- Efficient long-life copper heating element (3kW) for 33% faster heating
- · Shock-resistant ABS outer body
- Magnesium Anode rod
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 2 / 5 years (Product / Element / Tank)

SHAKTI PC DLX



- Capacity: 10L, 15L & 25L
- India's 1st designer pre-coated sheet metal body
- Efficient long-life copper heating element
- Temperature indicating dial
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 3 / 7 years (Product / Element / Tank)



ARMOUR **TECHNOLOGY**



SWIRL FLOW TECHNOLOGY



5-STAR INSULATION BEE RATING













ARMOUR **TECHNOLOGY**

SWIRL FLOW

TECHNOLOGY







4-STAR **BEE RATING**



ADJUSTABLE **THERMOSTAT**







FOR HIGH-RISE PROTECTION **BUILDINGS**



*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

MAJESTY PC DLX



- Capacity: 10L, 15L & 25L
- India's 1st designer pre-coated sheet metal body
- Efficient long-life copper heating element
- Temperature indicating dial
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 3 / 7 years (Product / Element / Tank)

NEW SHAKTI



- Capacity: 10L, 15L & 25L
- Single line welded rust-proof body
- Efficient long-life copper heating element
- Pre-coated metal sheet on outer body
- IPX4 waterproof technology
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure
- Warranty: 2 / 2 / 5 years (Product / Element / Tank)



ARMOUR

TECHNOLOGY



TECHNOLOGY





BEE RATING









BUILDINGS



PROTECTION



TECHNOLOGY

ARMOUR

TECHNOLOGY







4-STAR

BEE RATING



THERMOSTAT



ANODE



FOR HIGH-RISE

BUILDINGS



PROTECTION

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

INSULATION

*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

MAJESTY HORIZONTAL



- Capacity: 15L & 25L
- Efficient long-life copper heating element
- Suitable for floor & wall mounting
- IPX4 waterproof technology
- Fire retardant cable with plug

- Tank design is suitable to withstand 8 bar pressure
- Right wall / left wall mounting options available
- Compact design to fit in less height area
- Warranty: 2 / 3 / 7 years (Product / Element / Tank)







TECHNOLOGY

INSULATION



BEE RATING





THERMOSTAT











PROTECTION **BUILDINGS**

"Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.







VERRE 3L

NEW



- Capacity: 3L
- Efficient long-life copper heating element (3kW)
- LED indicator for power on and heating function
- Shock-resistant ABS outer body
- Alluring design
- Fire retardant cable
- Tank design is suitable to withstand 8 bar pressure

JUVEL



- Capacity: 1L & 3L
- Efficient long-life copper heating element (3kW)
- Alluring Prism design
- Shock-resistant ABS outer body
- Hidden LED indicators for power on and heating function
- Fire retardant cable
- Tank design is suitable to withstand 6.5 bar pressure



27

















APPROVED

FLORA



- Capacity: 1L & 3L
- Efficient long-life copper heating element (3kW & 4.5kW)
- Alluring design
- Shock-resistant ABS outer body
- Neon indicators for power on and heating function
- Fire retardant cable
- Tank design is suitable to withstand 6.5 bar pressure

NEW MAJESTY



- Capacity: 1L & 3L
- Efficient long-life copper heating element (3kW & 4.5kW)
- Shock-resistant ABS outer body
- Neon indicators for power on and heating function
- Fire retardant cable
- Tank design is suitable to withstand 6.5 bar pressure


















APPROVED





FLASHY TANKLESS WATER HEATER

NEW



- Efficient long-life copper heating element (3kW) for 33% faster heating
- Shock-resistant ABS outer body
- Alluring design
- Digital display
- Tank design is suitable to withstand 8 bar pressure
- Product Warranty: 2 years



Images are for representation purpose only, actual product may vary in colour/size.



DUETTO



- Flow Rate: LPG 6L, PNG 6L
- Pre-coated steel body
- Advanced combustion technology for best thermal efficiency of ≥84%
- Burner setting to adjust water temperature
- Thick copper heat exchanger
- Auto-ignition
- Overheat protection cut-off
- Inlet water flow sensor
- Dry heat protection
- Suitable for water pressure from 0.1 bar to 7.5 bar







PROTECTION



DEPLETION SENSOR



BURNER KNOB



PROTECTION

Free Installation Available^

^T&C Apply.

WATERPROOF IMMERSION WATER HEATERS - 1KW & 1.5 KW











HEATING ELEMENT FOR LONGER LIFE



REPLACEMENT WARRANTY





FOR PERFORMANCE & SAFETY

Waterproof Immersion Heaters

IMMERSION WATER HEATERS - 1KW & 1.5 KW





NICKEL PLATED HEATING ELEMENT FOR LONGER LIFE



2 YEARS REPLACEMENT WARRANTY





DOUBLE ISI MARKING FOR PERFORMANCE & SAFETY

Immersion Water Heaters in 1kW and 1.5kW

A1