





# INDEX

COOLERS	1
DRY IRONS	5
STEAM IRONS	8
ROOM HEATERS	10
WATER HEATERS	15

# COOLERS



WATER TANK

Large water tank capacity for longer cooling with continuous water supply system



Honeycomb padded air cooler with chilltrap technology for efficient cooling



CASTOR WHEELS

Castor wheels for convenience due to mobility



Ensures that cool air reaches in every direction



CONTROL

Multiple blower speed control to adjust the fan speed according to the requirement

Instant cooling due



AIR THROW

Powerful air throw for better reach of cool air



INVERTER

Uninterrupted performance even in the event of power outage



to cooling from ice



3 SIDED COOLING PAD

Cooling pads installed in 3 sides of the units for better cooling



Honeycomb padding for better cooling efficiency



HIGH WATTAGE

High wattage provides quick heating of the iron element & allows you to iron more clothes in less time



SWIVEL CORD

Helps you iron clothes over creases and pleats at any angle without the cord getting tangled in-between



SWIVEL CORD

Convenience in ironing clothes without the cord getting tangled in between



2 WAY LED INDICATOR

Lights up when the iron is switched on to indicate that it's ready for use



Hassle free reverse ironing. Easy & smooth ironing even over uneven surfaces like buttons



Smooth and crisp ironing

# **IRONS**



SELF CLEANING

Self cleaning facility for longer product life



COATED

SOLE PLATE

& safe ironing

Easy glide for crisp



WEIGHT

Easy & convenient ironing



25% EXTRA LONG CORD

Longer cord gives you a convenient ironing experience



Prevents water leakage for hassle-free ironing



Gives crisp ironing even on stubborn creases



Prevents clogging of pores leading to higher efficiency & longer product life

# **ROOM HEATERS**



INDIA

Products designed as per Indian user requirements



HIGH WATTAGE

High wattage provides quick heating to the room



2 YEAR WARRANTY

Warranty provides assurance against your product's performance



**ADJUSTABLE** GRILL

Adjustable grill to adjust hot air direction



DUAL INDICATOR

Indicates power on & heating modes



STEPLESS HEAT SELECTION

Heat selection option to adjust the output as per requirement



Wall mounting option for convenience and safety

# WATER HEATERS



APPROVED

Testimony to the product's quality



Helps in averting any operational hazard, ensuring more safety



OXYGEN DEPLETION SENSOR

Alerts you when the surrounding oxygen level is lower than what is recommended for breathing



PROTECTION

If the flame gets extinguished, the gas flow will stop automatically, thereby increasing safety



For enhanced safety



BURNER KNOB

Increases or decreases fuel burning rate which in turn controls the water temprature



Pressure withstanding capacity upto 8 bar (G+18 floors/270 feet)



Zero corrosion, ensuring the longevity of the product



PLASTIC **OUTER BODY** 

Plastic body preventing rusting and corrosion of water heater from outside, resulting in a higher life of the product



**EFFICIENT** 

5 star BEE rating assures it is highly energy efficient



ANODE

The magnesium anode deposits magnesium in the cracks of decay, filling the gap and ensures zero erosion



INSULATION

The water stays hot for a longer time, thanks to the polyurethane foam inserted between the outer and inner shells



Set the desired temprature of water via a knob



High warranty for a complete peace of mind



Electronic thermostat helps select precise water temperature

# WATER HEATERS



DIGITAL DISPLAY The digital display on the water heater shows the temperature of the hot water & time set, if any



PRESETTING 24 HOURS IN ADVANCE Intelligent timer to preset the heat up time: saving energy and time. The settings are not disturbed even in power outages



REMOTE CONTROLLED OPERATION Adjust the temperature and timer from a distance via remote control



This prevents scaling in the heating elements from different types of water and salty substances, giving added protection to your water heater





WATER TANK



INVERTER COMPATIBLE



- · Powerful air flow: 5.800 cubic metre / hr (peak) 3,500 cubic metre / hr (average)
- · Cooling capacity: 750 sq. ft.
- · Water tank capacity: 67L
- Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Powerful mega size cooler with international styling
- · Wood wool cooling media

AIR THROW

- . Air throw distance 90 ft.
- Dimensions L x B x H (in mm): 640 x 550 x 1.110



DEFLECTION



3 SPEED BLOWER CONTROL





LARGE







AIR THROW



DC 2050 DLX

5.600 cubic metre / hr (peak)

. Cooling capacity: 600 sq. ft.

Water tank capacity: 70L

thermoplastic element · Corrosion-free material

for durable performance

• Dimensions - L x B x H (in mm):

. Air throw distance 80 ft.

· Made of engineered

640 x 500 x 1.085

3,400 cubic metre / hr (average)

· Powerful air flow:



DEFLECTION

DC 2015 DIGITAL

- · Powerful air flow: 4,000 cubic metre / hr (peak) 3,000 cubic metre / hr (average)
- . Cooling capacity: 600 sq. ft.
- · Water tank capacity: 43L
- · Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Available with remote control, digital control panel with timer
- · Suitable for dry and arid climates
- · Wood wool cooling media
- . Air throw distance 50 ft.
- Dimensions L x B x H (in mm): 570 x 400 x 1,090



LARGE









**3 SPEED BLOWER** 





LARGE CHILLTRAP WATER TANK TECHNOLOGY



- · Powerful air flow: 4,900 cubic metre / hr (peak) 3,200 cubic metre / hr (average)
- . Cooling capacity: 600 sq. ft.
- · Water tank capacity: 54L
- · Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Sleek and stylishly designed desert cooler
- · Air throw distance 70 ft.
- Dimensions L x B x H (in mm): 630 x 400 x 1,115



POWERFUL AIR THROW



PARS



4 WAY AIR DEFLECTION



AIR THROW





#### DC 2015 ICON

- · Powerful air flow: 4.000 cubic metre / hr (peak) 3,000 cubic metre / hr (average)
- · Cooling capacity: 600 sq. ft.
- · Water tank capacity: 43L
- · Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Special wood wool evaporative pads
- · Suitable for dry and arid climates
- · Wood wool cooling media
- . Air throw distance 50 ft.
- Dimensions L x B x H (in mm): 570 x 400 x 1.090





AIR THROW





WHEELS



DEFLECTION

3 SPEED BLOWER CONTROL



- · Powerful air flow: 5.500 cubic metre / hr (peak) 3,300 cubic metre / hr (average)
- · Cooling capacity: 600 sq. ft.
- · Water tank capacity: 48L
- · Made of engineered thermoplastic element
- · Corrosion-free material
- for durable performance
- . Air throw distance 80 ft.
- Dimensions L x B x H (in mm): 650 x 545 x 905

PADS



S BALANA PLAUNI





AIR THROW







DEFLECTION



PX 100 DC

- . Powerful air flow: 4.000 cubic metre / hr (peak) 3,000 cubic metre / hr (average)
- . Cooling capacity: 600 sq. ft.
- · Water tank capacity: 43L
- · Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Special wood wool evaporative pads
- · Suitable for dry and arid climates
- · Wood wool cooling media
- . Air throw distance 50 ft.
- Dimensions L x B x H (in mm): 570 x 400 x 1,090











DEFLECTION





### for durable performance · Humidity control valve

· Corrosion-free material

PC 2000 DLX

1,500 cubic metre / hr (peak)

800 cubic metre / hr (average)

· Made of engineered thermoplastic element

· Cooling capacity: 200 sq. ft.

· Water tank capacity: 15L

· Powerful air flow:

- · Suitable for all climates and coastal regions
- · Air throw distance 25 ft.
- Dimensions L x B x H (in mm): 455 x 420 x 655



WATER TANK











4 WAY AIR DEFLECTION

CONTROL



TECHNOLOGY



#### **FRIO**

- · Powerful air flow: 2.600 cubic metre / hr (peak) 1,000 cubic metre / hr (average
- . Cooling capacity: 150 sq. ft.
- Water tank capacity: 23L
- Sleek design
- · Easy to read water level indicator
- Dust protection screen
- . Air throw distance 30 ft.
- Dimensions L x B x H (in mm): 445 x 340 x 780





TECHNOLOGY



AIR THROW





CHAMBER PARS



# PC 2012

- · Powerful air flow: 2.040 cubic metre / hr (peak) 1,200 cubic metre / hr (average)
- · Cooling capacity: 150 sq. ft.
- Water tank capacity: 20L
- Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Easy to read water level indicator
- · Suitable for all climates and coastal regions
- . Air throw distance 25 ft.
- Dimensions L x B x H (in mm): 450 x 400 x 900



WATER TANK











DEFLECTION

3 SPEED BLOWER HONEYCOMB CONTROL PARS



# PCF 25 DLX

- · Powerful air flow: 1,700 cubic metre / hr (peak) 1,100 cubic metre / hr (average)
- . Cooling capacity: 150 sq. ft.
- . Water tank capacity: 24L
- · Easy to read water level indicator
- Three speed blower control
- · Fan based air cooler
- · Air throw distance 18 ft.
- Dimensions L x B x H (in mm): 390 x 370 x 710









AIR THROW



COOLING PAD



PADS



# TC 2007

- · Powerful air flow: 2,800 cubic metre / hr (peak) 1,500 cubic metre / hr (average)
- · Cooling capacity: 150 sq. ft.
- · Water tank capacity: 37L
- · Sleek design
- · Easy to read water level indicator
- · Dust protection screen
- · Suitable for all climates and coastal regions
- . Air throw distance 30 ft.
- Dimensions L x B x H (in mm): 465 x 308 x 840



WATER TANK



TECHNOLOGY









CASTOR WHEELS



#### **PX 97 TORQUE**

- · Powerful air flow: 2,000 cubic metre / hr (peak) 1,500 cubic metre / hr (average)
- . Cooling capacity: 150 sq. ft.
- · Water tank capacity: 36L
- · Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Low noise with fan
- · Powerful surround cooling
- · Fan based air cooler
- · Air throw distance 30 ft.
- Dimensions L x B x H (in mm): 455 x 435 x 820

DEFLECTION.



WATER TANK





TECHNOLOGY





PADS



# TC 2008

- · Powerful air flow: 1,900 cubic metre / hr (peak) 1,400 cubic metre / hr (average)
- . Cooling capacity: 150 sq. ft.
- · Water tank capacity: 26L
- · Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Easy to read water level indicator
- · Suitable for all climates and coastal regions
- . Air throw distance 50 ft.
- Dimensions L x B x H (in mm): 390 x 390 x 1,000



WATER TANK





WHEFLS



DEFLECTION

SB 2003

· Powerful air flow:

1,750 cubic metre / hr (peak)

. Cooling capacity: 200 sq. ft.

· Water tank capacity: 32L

thermoplastic element

for durable performance

· Auto water level controller

. Air throw distance 50 ft.

· Wood wool cooling media

• Dimensions - L x B x H (in mm):

· Corrosion-free material

· Made of engineered

1,200 cubic metre / hr (average)





PADS

MD 2020

- · Powerful Air flow: 3,600 cubic metre / hr (peak) 1,800 cubic metre / hr (average)
- . Cooling capacity: 400 sq. ft.
- · Water tank capacity: 54L
- · Made of engineered thermoplastic element
- · Corrosion-free material for durable performance
- · Wood wool cooling media
- . Air throw distance 80 ft.
- Dimensions L x B x H (in mm): 655 x 545 x 565



LARGE WATER TANK





DEFLECTION





3 SPEED BLOWER CONTROL





WATER TANK



AIR THROW







560 x 500 x 410



3 SPEED BLOWER CONTROL





# **MAJESTY ONE**

- · Glide edge technology for hassle-free backward ironing
- · Beautiful color & aesthetics
- American Heritage non-stick coated golden sole plate
- · Cool touch body



# **MAJESTY ESTEELA**

- · American heritage non-stick coated golden sole plate
- · Cool touch body













WATTAGE





360° SWIVEL CORD



LED INDICATOR

SWIVEL CORD

LONG CORD



# **MAJESTY DX 11**

- · American heritage non-stick coated sole plate
- · Cool touch handle



# **MAJESTY DHX 9**

- American heritage non-stick coated golden sole plate
- Single handed operation: Temperature control on the handle
- · Cool touch handle





WEIGHT



SWIVEL CORD





WEIGHT



# **MAJESTY DX 8**

- American heritage non-stick coated golden sole plate
- Cool touch body



# DX 7 NEO

- · American heritage non-stick coated golden sole plate
- Cool touch body



WATTAGE





WEIGHT

SWIVEL CORD





WEIGHT



SWIVEL CORD



# DX 4 NEO

- American heritage non-stick coated sole plate
- Ergonomically designed comfortable hand grip
- · Cool touch handle
- Thermal fuse



# **MAJESTY DX 2**

- · American heritage non-stick coated sole plate
- · Cool touch handle
- · Also available in black color











WEIGHT



SWIVEL CORD



# **POPULAR**

- American heritage non-stick coated sole plate
- Cool touch handle
- Also available in 750 W



# **POPULAR PLUS**

- American heritage non-stick coated sole plate
- Cool touch handle







180° SWIVEL CORD







SW



### **MAJESTY MX 30**

- 300 ml water tank
- · Vertical ironing to iron hanging clothes/curtains
- · Variable steam to iron different types of clothes
- · Adjustable thermostatic control
- · Neon indicator for thermostat operation













COATED

# **MAJESTY MX 25**

- 330 ml water tank
- · Vertical ironing to iron hanging clothes/curtains
- · Variable steam to iron different types of clothes
- · Adjustable thermostatic control
- · Neon indicator for thermostat operation













WATTAGE

TECHNOLOGY

STEAM BURST

SWIVEL CORD

ANTI DRIP

SOLE PLATE

1250 WATTAGE

ANTI-SCALE TECHNOLOGY

STEAM BURST

SWIVEL CORD

ANTI DRIP

COATED SOLE PLATE

**MAJESTY MX 20** 



- 140 ml water tank
- · Vertical ironing to iron hanging clothes/curtains
- · Variable steam to iron different types of clothes
- · Light weight, cool touch body
- Made in India



# **MAJESTY MX 8**

- 250 ml water tank
- · Vertical ironing to iron hanging clothes/curtains
- · Variable steam to iron different types of clothes
- · Light weight, cool touch body with comfortable rubber grip
- Made in India







SELF CLEANING



SWIVEL CORD



COATED SOLE PLATE





SELF







SWIVEL CORD COATED SOLE PLATE



# **MAJESTY MX 4**

- 180 ml water tank
- Vertical ironing to iron hanging clothes/curtains
- Variable steam to iron different types of clothes
- Light weight, cool touch body







SELF CLEANING



360° SWIVEL CORD



NON-STICK COATED SOLE PLATE







WARRANTY

# **MAJESTY OFR RH 11F PLUS**

- 11 fins with three heat settings: 1000 W / 1500 W / 2500 W
- . With 400 W PTC ceramic fan heater. for faster heating
- · International design and styling
- · Adjustable thermostat for desired temperature
- · Noiseless operation
- Castor wheels for easy mobility
- · Cord winder Built-in handle
- Quadra safety assurance
   Thermostat Manual thermal cutout
- Auto thermal cutout
- · Safety tilt switch for proper installation



ISI

**APPROVED** 



WHEELS



MADE IN INDIA







2 YEAR WARRANTY



- 9 fins with 3-heat settings: 800W / 1200 W / 2000 W
- With 400W PTC ceramic fan heater. for faster heating
- · Adjustable thermostat for desired temperature
- · Noiseless operation
- · Castor wheels for easy mobility
- · Quadra safety assurance
- > Thermostat
- > Safety tilt switch for proper installation
- > Manually reset thermal cutout
- Auto-reset thermal cutout



APPROVED





INDIA

WATTAGE

HIGH

# **MAJESTY OFR RH9PLUS**

- Three heat settings: 800 W / 1200 W / 2000 W
- · Power ON neon indicator
- · International design and styling
- · Adjustable thermostat for desired temperature
- · Noiseless operation
- · Castor wheels for easy mobility
- · Cord winder
- · Built-in handle
- · Quadra safety assurance
- > Thermostat > Manual thermal cutout
- Auto thermal cutout
- Safety tilt switch for proper installation







APPROVED





MADE IN INDIA





- 13 fins with three heat settings: 1000W / 1500W / 2500W
- · Power ON neon indicator
- · Adjustable thermostat for desired temperature
- · Noiseless operation
- · Castor wheels for easy mobility
- Cord winder
- · Built-in handle
- · Quadra safety assurance
- · Thermostat · Manual thermal cutout
- Auto thermal cutout
- · Safety tilt switch for proper installation



WATTAGE









CASTOR WHEELS



INDIA



CASTOR WHEELS



#### **MAJESTY RX 17**

- Two heat settings: 1000W / 2000W
- · Adjustable thermostat for desired temperature
- Adjustable grill
- . Two way installation: Vertical / Horizontal
- · Wall mounting option
- · Cool-touch housing
- · Triple safety assurance
  - > Thermostat > Auto thermal cutout
- > Thermal fuse



#### **MAJESTY RX 19**

- . Two heat settings: 1000W / 2000W
- Adjustable thermostat for desired temperature
- Adjustable grill
- Two way installation: Vertical / Horizontal
- · Wall mounting option
- · Cool-touch housing
- · Triple safety assurance
- > Thermostat > Auto thermal cutout
- > Thermal fuse



WATTAGE



WARRANTY





OPTION



HEAT SELECTION



INDICATOR

ADJUSTABLE



WATTAGE











WALL MOUNTING STEPLESS DUAL ADJUSTABLE OPTION HEAT SELECTION INDICATOR

# **MAJESTY RX 11**

- Two heat settings: 1000W / 2000W
- · Adjustable thermostat for desired temperature
- · Dual purpose: Acts as a heater in winter and personal fan in summer
- · Cool-touch housing
- · Triple safety assurance
  - Thermostat
- > Auto Thermal cutout
- > Thermal fuse



# **MAJESTY RX 10**

- . Two heat settings: 1000W / 2000W
- · Adjustable thermostat for desired temperature
- · Two-way installation
- · Vertical · Horizontal
- · Triple safety assurance
  - > Thermostat > Auto thermal cutout
  - > Thermal fuse











APPROVED



MADE IN INDIA









APPROVED





# **MAJESTY RX 8**



- · Cool-touch handle for easy mobility
- · Adjustable height Adjustable thermostat to set
- desired temperature

  - › Automatic thermal safety cutout





# **MAJESTY RX 7**

- · Three heat settings: 600W / 1200 W / 2000 W
- · Cool-touch handle for easy mobility
- Adjustable height
- · Automatic thermal safety cutout



WATTAGE



2 YEAR WARRANTY



ISI APPROVED



MADE IN INDIA



2 YEAR

WARRANTY



ISI APPROVED



MADE IN INDIA



# **MAJESTY RFX 2**



- · Adjustable thermostat
- for desired temperature
- · Quadra safety assurance
- > Thermostat
- > Safety tilt switch for proper installation
- » Manually reset thermal cutout
- Auto-reset thermal cutout



**BLOW HOT** 

- · Two heat settings: 1000W / 2000W
- · Automatic thermal cutout for safety
- Easy mobility
- Compact design



WATTAGE



2 YEAR WARRANTY



APPROVED



MADE IN INDIA







APPROVED



MADE IN INDIA

# **MAJESTY RPX 7** PTC WALL MOUNT



- · Adjustable thermostat for desired temperature levels
- · Neon indicator for power and heating
- Wall mount unit
- Remote control
- · Triple safety assurance
- > Thermostat > Thermal cutout
- > Thermal fuse



# **RHX 2 HALOGEN**

- . Two heat settings: 500W / 1000W
- Noiseless operation
- · Dual safety device
- > Safety tip over switch against tilting
- > Thermal fuse









MADE IN



WATTAGE









INDIA



2 YEAR WARRANTY

APPROVED

INDIA



# **NEW MAJESTY RHX 3 HALOGEN**

- · Two heat settings: 400W / 800W / 1200W
- · Noiseless operation
- · Dual safety device
- > Safety tip over switch against tilting
- > Thermal fuse



# **CHX DUO PLUS CARBON HEATER**

- · Two heat settings: 500W / 1000W
- · Adjustable thermostat for desired temperature
- · Neon indicator for power and heating
- · Lesser illumination during operation
- · Superior technology



WATTAGE





WARRANTY

APPROVED



MADEIN INDIA









APPROVED



# **DELUX**



- · Two heat settings: 1000W / 2000W
- · Adjustable thermostat for desired temperature
- · Neon indicator for power and heating
- Tilting legs
- · SS reflector



# **FLASHY**

- Heat settings: 1000W
- Adjustable thermostat for desired temperature
- Neon indicator for power and heating
- · Compact and stylish design
- SS reflector













WATTAGE



WARRANTY







MADE IN INDIA

HIGH WATTAGE

2 YEAR WARRANTY

ISI APPROVED

MADE IN INDIA

# MINOR

- Nickel chrome plated mesh grid
- Tilting legs
- SS reflector
- Bright nickel chrome plated reflector







2 YEAR WARRANTY



APPROVED





### CALENTA DIGI

- . Capacity 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- · Wattage 2 kW
- · ABS plastic body
- · Glassline coated inner tank
- · Enamel coated incoloy heating element
- · Robust and ideal IPX4 waterproof grade technology
- Magnesium Anode



WARRANTY



RATED



DISPLAY



24 HOURS

IN ADVANCE



CONTROLLED OPERATION

# CALENTA MECHANICAL

- . Capacity 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- · Wattage 2 kW
- · ABS plastic body
- · Enamel coated incoloy heating element
- · Robust and ideal IPX4 waterproof grade technology







RATED



COATED TANK



ANODE





**ADJUSTABLE** THERMOSTAT



# **CALENTA**

- Capacity 6L, 10L, 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- · Wattage 2 kW
- · ABS plastic body
- · Temperature indicating dial





WARRANTY



5 STAR RATED







**ADJUSTABLE** THERMOSTAT



# SHAKTI GPV

- Capacity 10L, 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- · Wattage 2 kW
- · ABS plastic body
- · Temperature indicating dial













ANODE



THERMOSTAT



# CALDIA

- Capacity 6L, 10L, 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- · Wattage 2 kW
- · ABS plastic body
- · Special anti-corrosion protection device











MAGNESIUM MULTIPLE SAFETY



# SHAKTI PC DELUXE

- Capacity 10L, 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- Stardust Design
- Pre-coated steel body













WARRANTY

5 STAR RATED

**GLASS LINE** COATED TANK

ANODE

SYSTEMS

WARRANTY

RATED

**GLASS LINE** COATED TANK

MAGNESIUM ANODE

**ADJUSTABLE** THERMOSTAT



# **NEW SHAKTI**

- Capacity 10L, 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- · Wattage 2 kW
- · Powder coated metal body
- · Temperature indicating dial



# MAJESTY HORIZONTAL

- Capacity 10L, 15L & 25L
- · Suitable for high pressure up to 8 bar (G+18 floors/270 ft.)
- Wattage 2 kW
- · ABS plastic body
- · Convertible floor to wall & vice-versa
- · Only 5 star rated horizontal model (as per existing BEE norms)











HEATING 3 INNER 7 TEAN

WARRANTY



5 STAR RATED



**GLASS LINE** COATED TANK







WARRANTY

4 STAR RATED

COATED TANK

ANODE

**ADJUSTABLE** THERMOSTAT



# **FLORA**

- · Capacity 1L & 3L
- Wattage Available in 3 kW and 4.5 kW rating
- Corrosion proof thermoplastic external body
- · Elegant body shell
- Fire retardant cable
- Neon indicator for 'power on' and 'heating' function





HIGH RISE

BUILDINGS





ISI MULTIPLE SAI
APPROVED SYSTEMS



# **MAJESTY INSTANT**

- Capacity 1L & 3L
- Wattage Available in 3 kW and 4.5 kW rating
- High-impact resistant engineered ABS plastic body
- · Long life, efficient heating element
- Neon indicator for 'power on' and 'heating' function









SUITABLE FO HIGH RISE BUILDINGS

ISI MUL APPROVED

MULTIPLE SAFET SYSTEMS



# **DUETTO**

- · Pre-coated steel body
- Advanced combustion technology for best thermal efficiency
- Burner setting to adjust water temprature
- . Thick heat exchanger made of copper
- · Auto ignition
- · Over heat protection cut-off
- · Inlet water flow sensor
- · Dry heat protection
- · Capacity 6L







SENSOR





ADJUSTABLE BURNER KNOB

CHILD SAFETY PROTECTION

NOTES:	
=	
<u>u</u>	



601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg, Off Eastern Express Highway, Sion (E), Mumbai - 400 022.

CIN: L31500MH1938PLC009887

Regd. Office: 45 / 47, Veer Nariman Road, Mumbai - 400 001. Tel: 022-2204 3841

Free Home Service\*:

1800 102 5963 / 022 4128 0000 | shop.bajajelectricals.com | 🗗 💟 👩

\*T&C apply, please visit http://www.bajajelectricals.com/terms-and-conditions.