



BATA INDUSTRIALS
THE SAFETY SHOE

Bata India Limited
Safety Footwear Division, Motorola Excellence Center, 5th Floor, 415/2, M.G. Road, Sector 14, Gurgaon - 122001.
Tel: 0124-3375673 | Email: sfd.bm@bata.com | Website: Bataindustrials.in



INDUSTRIAL COLLECTION

SERIOUSLY SAFE



BATA INDUSTRIALS
THE SAFETY SHOE

INTRODUCTION

Bata Industrial India

Bata Industrials India is a part of India's largest footwear company, Bata India Limited. With a focused approach on growing the Industrial and Institutional business, Bata India Limited created this specialized division to offer globally renowned industrial footwear to its customers. Bata Industrials products are manufactured at India's largest footwear factory in Batanagar, Kolkata. Bata Industrial India boasts of state of art manufacturing facilities that has ISO :4001 certification for environment friendly production.

The Bata Industrials sales team has highly trained professionals who partner with customers to understand their needs to deliver the most optimum performance from safety footwear offering on unmatched product range to meet the footwear requirement of Industrial professionals.

Bata Industrials also offers a wide distribution network across India with strategically placed distributors so as to meet the demands of our valued customers in time.

CONTENT

- Zappy
- Robust
- BS-2022
- Spirit
- Endura
- Endura Sports
- Bora
- Micro Fiber Bora
- Work Mate
- Moulded
- OLIVIA
- OPAL
- Tigre STH & PVC Sporty
- BS-2000
- Gumboot
- Rayo

SECTORS

 AGRICULTURE	 AUTOMOTIVE	 CLEANING
 CONSTRUCTION	 ELECTRONICS	 FIRE BRIGADE
 FISHERY	 FOOD & BEVERAGES	 FORESTRY
 HEALTHCARE	 HOSPITALITY	 LANDSCAPING
 MANUFACTURING	 MILITARY	 MINING
 OFFICE	 OTHER INDUSTRIES	 PETROCHEMICAL
 POLICE	 SAFETY GUARDS	 TRANSPORT & LOGISTICS
 Pharmaceuticals	 Engineering	 Cement
 Paper	 Power	

ISO

EN ISO 20345 SAFETY SHOES

- S1** Safety shoes for professional use with toecaps designed to give protection against impact when tested at an energy level of 200 joules. Antistatic properties, energy absorption of seat region and closed heel.
- S1 P** As S1 plus mid-sole
- S2** As S1 plus water resistance and water absorption of upper material
- S3** As S2 plus mid-sole and cleated outer sole



EN ISO 20347 OCCUPATIONAL SHOES

- 02** Footwear for professional use without steel toecaps. Resistance to oil, antistatic properties, energy absorption of seat region and closed heel plus water resistance and water absorption of upper material

TECHNOLOGIES

Bata Industrials has focused its efforts and development to incorporate in their designs a series of technologies that aim to meet the needs of protection, comfort and health of workers today. Bata Industrials offers much more than a safety footwear, it offers more protection, more health, more in fit and more on quality.

TPU STABILIZER

Device that works on the area of the Arch of the foot as stabilizer anti-torsion, improving stability and reducing fatigue.



BATA SHIELD

Designs to work in conditions of high humidity, because it slows the entry of fluids inside the footwear, and in turn allows the natural moisture from inside the shoe.



Flexible Anti Puncture

Anti puncture in soles, more flexible, reduces fatigue as it offers better flexibility while walking.




COMPOSITE TOE

Protects the toe against heavy falling objects. Offers great strength and has light weight. Ideal for cold environment. Free of metallic material.



TECHNICAL INSOLE

Insole that helps to reduce muscle fatigue because of it's ability to take the shape of the foot. Provides effective greater support in the foot arch area.




FEATURES

Through our continuous innovation process we develop new features and designs which contribute to safety, Comfort vitality, durability and quality. Taking research from our worldwide network and Client feedback we are continually developing new innovative designs and technologies.

TUNNEL SYSTEMS

TUNNELSYSTEM® Every collection of Bata Industrials has its own unique extras. However, there is one invention that sets every safety shoe from Bata Industrials apart: the ingenious Tunnelsystem®. This distinctive notch in the heel (the tunnel) spreads the pressure over a larger surface area. What is unique about this system is that the wearers weight has no effect on the function. The built-in shock absorber spares the joints and keeps the wearer upright. Spreading the load also gives the heel extra stability. This prevents fatigue and loss of concentration and hence avoid a great number of accidents.



ANTI-SLIP SOLES

Selecting the most suitable sole type is dependent on the working surface, the degree to which this is polluted and the tasks someone has to perform. That is why Bata Industrials has developed several types of outer soles, each with its own profile. In order of slip resistance these are PU, which is above all light and flexible, TPU, which is antislip in all directions and TriTech Plus®, a sole manufactured using three densities of rubber, which is extra wear-resistant and offers maximum protection against slipping, shards, oils, acids and heat (to 300 degrees centigrade). This means that we can provide the right grip on the work floor under all circumstances.



CLIMATE MANAGEMENT

Bata Industrials uses excellent breathable materials for its footwear, such as textiles and nubuck for the uppers and the moisture absorbing Bata Cool Comfort®, Bata VentAir®, Bata Air Xtreme® and Dri-Lex® for the lining. These materials consist of different layers which ensure a soft, dry and fresh feel while at the same time transporting moisture properly to the outside. The full benefits of this climate management really come into play when the socks worn are also suited to the absorption and then expulsion of heat and humidity, so that these can then be transported away by the lining and upper material. Pro-guards® in particular take care of that; another development by Bata Industrials.



EAY ROLLING SYSTEM

To prevent feet becoming tired Bata Industrials devotes a lot of attention to the flexibility of the sole and the weight of the materials from which the shoe is made up. But also to the quality of the foot bed and the shape of the last. One of our latest findings in that area is the Easy Rolling System®, a subtle adaptation with major consequences. By preforming the front of the foot the natural motion of the foot is supported in an optimum way. The effect of this is energy saving and comfort increasing. It is details of this kind which make the difference on the work floor.



LIGHTWEIGHT


In footwear design, safety and comfort are usually contradictory concepts. Bata Industrials shoes are developed on the basis of the common ground between these two features. Safe and sturdy, yet lightweight and comfortable. The shoes with higher specifications with rubber outsoles, destined for heavy work, are also relatively lightweight and comfortable.



SOLES

RAYO

Rayo the light weight flexible single density & double density polyurethane sole have excellent resistant to oil and their derivatives. Its also includes new tunnel-system technology which release full body pressure and give comfortable wear.



WORKMATE

The workmate rubber nitrile collection. It insulate from cold and heat resistance up to 300 degree Celsius for 1 minute.



BORA

BORA is a safety shoe line with modern and functional design providing technologies and protection through light and comfortable shoes.



SPIRIT

The PU/Rubber sole of the sprit models shield display its full benefits in situation in which an extremely high slip resistance required. The rubber out sole it particularly durable and oil acid and cut resistance. It insulate from cold and heat resistance up to 300 degree Celsius for one minute. Cushioning & comfort are providing by the light and flexible Polyurethane (PU) mid sole.



OLIVIA

OLIVIA the single & double density Polyurethane (PU) sole. This sole profile adapted to the qualities of the sole materials used in order to create optimum stability & slip resistance.



SOLES

BS 2022

BS 2022 with single density Polyurethane (PU sole). The sole is flexible and light weight, heat resistance up to 120 degree Celsius for 1 minute with Anti slip sole design.



ROBUST, ZAPPY & ENDURA

Endura the single density & Safe Master with double density Polyurethane (PU) sole. This sole profile adapted to the qualities of the sole materials used in order to create optimum stability & slip resistance.



BS2000

The Light, Flexible and Sporty design of grip sole made from polyurethane (PU) prevent slip and fall accident on the work floor. The BIS 2000 also having the special Bata industrial shock absorbing Tunnel System Technology.



MOULDED

The DMS rubber nitrile collection. It insulate from cold and heat resistance up to 300 degree Celsius for 1 minute.



OPAL

OPAL is a single & double density Polyurethane (PU) safety shoe line with modern and functional design providing technologies and protection through light and comfortable shoes.




ZAPPY

ZAPPY is the new range of single & double density PU sole segment in India safety footwear market. It possesses a rugged light weight sole profile with durability and a comfortable fit. The ZAPPY range is also environment friendly which is certified by Footwear Design and Development Institute (FDDI).

Low Cut

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 4-13



BIS 15298
PART 2




ROBUST

ROBUST is the new range of single & double density PU sole segment in India safety footwear market. It possesses a rugged light weight sole profile with durability and a comfortable fit. The ROBUST range is also environment friendly which is certified by Footwear Design and Development Institute (FDDI).

Low Cut

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black / Brown
- Size: 4-13




BIS 15298
PART 2



Oxford

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 4-13




BIS 15298
PART 2



SLIP-ON

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 4-13




BIS 15298
PART 2



High Cut

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 4-13




BIS 15298
PART 2



High Cut

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 4-13



BIS 15298
PART 2




BS 2022

The BS 2022 has been developed by Bata Industrials as a natural extension of the body. It is a relatively light weight suited for more heavy duty work. The great strength of BS 2022 lies in perfect fit which gives it more protection and wear comfort for intensive use, the shoes are made with polyurethane sole and top quality leather & other superior material.

Low Cut SD

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel/Fiber Toe
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




SPIRIT

The natural rubber and PU sole collection provides comfort in extreme working conditions. The dual density sole construction which includes polyurethane and more cushioning with PU midsole and rubber nitrile outsole for heat resistance upto 300° C. The natural rubber sole provides the benefits of TUNNELSYSTEM® and multi direction slip resistance, oil resistance area and are recommended in applications where contact temperature exceed 130° C.

Classy

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Fiber Toe
- Sole: PU / RUB
- Technology: TUNNELSYSTEM®
- Temperature: upto 300°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



High Cut

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel/Fiber Toe
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12




Vast

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Fiber Toe
- Sole: PU / RUB
- Technology: TUNNELSYSTEM®
- Temperature: upto 300°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




Low Cut DD

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel/Fiber Toe
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



Sturdy

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Fiber Toe
- Sole: PU / RUB
- Technology: TUNNELSYSTEM®
- Temperature: upto 300°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



ENDURA

ENDURA is the highest selling range of single density PU sole segment in India safety footwear market. It possesses a rugged light weight sole profile with durability and a comfortable fit. The ENDURA range is also environment friendly which is certified by Footwear Design and Development Institute (FDDI).

Low Cut

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-110°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12



BIS 15298
PART 2



Oxford

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil & Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



BIS 15298
PART 2



High Cut

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil & Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



BIS 15298
PART 2



ENDURA SPORTS

The Endura Sports Collection have been developed by Bata Industrials as a natural extension of the body. It is a relatively light weight suited for more heavy duty work. The great strength of Endura Sports collections are lies in perfect fit and cushioning in-socks which gives it more protection and wear comfort for intensive use, the shoes are made with polyurethane sole and top quality leather & other superior material.

B-SPORT

- Gender: Male
- Upper: Crazy Horse Leather
- Lining: Non-woven & Spacer Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black / Brown
- Size: 5-12



BIS 15298
PART 2



B-SPORT

- Gender: Male
- Upper: Crazy Horse Leather
- Lining: Non-woven & Spacer Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Brown
- Size: 5-12



BIS 15298
PART 2



G-SPORT

- Gender: Male
- Upper: Crazy Horse Leather
- Lining: Non-woven & Spacer Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black / Brown
- Size: 5-12



BIS 15298
PART 2




BORA

The BORA range offers "good" styling and features. The polyurethane sole features Bata Industrials unique energy returning TUNNELSYSTEM®. A wide footbed and antislip tyre tread sole design reduces the risk of ankle roll and enhances slip resistance.

Bora Derby

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: PU SD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-110°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black / Brown
- Size: 5-12




BORA MICROFIBER

The BORA Microfiber range offers "good" styling and features. The polyurethane sole features Bata Industrials unique energy returning TUNNELSYSTEM®. A wide footbed and antislip tyre tread sole design reduces the risk of ankle roll and enhances slip resistance.


Derby Black

- Gender: Male
- Upper: Smooth Microfiber
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel/Composite
- Sole: PU SD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




Bora Oxford

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: PU SD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-110°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12



Derby White

- Gender: Male
- Upper: Smooth Microfiber
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel/Composite
- Sole: PU SD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




Bora - H/C

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: PU SD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-110°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



Oxford Black

- Gender: Male
- Upper: Smooth Microfiber
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel/Composite
- Sole: PU SD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




WORKMATE NITRILE

A rugged collection with breathable leather upper which provides comfort & durability with excellent flexible properties. It is stuccon construction collection with rubber nitrile outsole with extra durability, Oil resistant, acid and heat up to 300° C for 1 minute.

DERBY

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: NITRILE RUBBER
- Temperature: up to 300°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12



BIS 15298
PART 2




MOULDED

A rugged collection with breathable leather upper which provides comfort & durability with excellent flexible properties. It is a DMS construction collection moulded rubber nitrile outsole with extra durability, Oil resistant, acid and heat up to 300° C for 1 minute.

DERBY

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: NITRILE RUBBER
- Temperature: up to 300°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12




BIS 15298
PART 2



FLAP

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: NITRILE RUBBER
- Temperature: up to 300°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12



BIS 15298
PART 2



JODHPURI

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: NITRILE RUBBER
- Temperature: up to 300°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12




BIS 15298
PART 2



MID CUT

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: NITRILE RUBBER
- Temperature: up to 300°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




BIS 15298
PART 2



LITE

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: NITRILE RUBBER
- Temperature: up to 300°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 5-12



BIS 15298
PART 2




OLIVIA

The Olivia offer a light, flexible polyurethane sole for optimum comfort. This multipurpose shoe is suitable for a variety of Industries. The Olivia range provides good, all around safety features at an economical price point. Available in Boots and shoes style, The Olivia range is suitable for many applications, from general industrial to agricultural and automotive.

Olivia SD OXF

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: SHOCK ABSORBER
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




OPAL

Designs for Indians, These are firm favorites among tradesmen looking for durable, comfortable and lightweight shoes. Because all of these have a wider fit, making them a better choice for foot comfort. This range offers maximum breathability and a single & dual density polyurethane sole for superior flexibility and durability.


Opal Casual

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: PU SD & DD
- Technology: SHOCK ABSORBER
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




Olivia DD OXF

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: SHOCK ABSORBER
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




Opal Reflector

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: PU SD & DD
- Technology: SHOCK ABSORBER
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12




Olivia HC

- Gender: Male
- Upper: Buff Barton Print Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: SHOCK ABSORBER
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



Opal Spory

- Gender: Male
- Upper: Crazy Horse Leather
- Lining: Non-woven & Spacer Lining
- Toe: 200 ±4 J Steel / Composite Toe
- Sole: PU SD & DD
- Technology: SHOCK ABSORBER
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black / Brown
- Size: 5-12




TIGRE STH & PVC SPORTY

A rugged collection with breathable leather upper which provides comfort & durability with excellent flexible properties. It is a DMS construction collection moulded rubber nitrile outsole with extra durability, Oil resistant, acid and heat up to 300° C for 1 minute.

DERBY

- Gender: Male
- Upper: PVC Synthetic
- Lining: Non-woven & Mesh Lining
- Toe: 100 ±4 J Steel
- Sole: PVC
- Temperature: upto 100°C - 110°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 6-10




PVC SPORTY

- Gender: Male
- Upper: Knitted
- Lining: Non-woven & Mesh Lining
- Toe: 100 ±4 J Steel
- Sole: PVC
- Temperature: up to 100°C-110°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 6-10



OXFORD

- Gender: Male
- Upper: Knitted
- Lining: Non-woven & Mesh Lining
- Toe: 100 ±4 J Steel
- Sole: PVC
- Temperature: up to 100°C-110°C
- Sole Features: Oil & Diluted Acid resistant and Slip resistant
- Colour: Black
- Size: 6-10



BS 2000

Ladies Safety shoes collection brings feminine refinement to light industry. They are just as protective as the other collections which Bata Industrials developed for this working environment but are distinguished, above all by their fashionable design, expressed particularly in the shape and subtle accentuation of the last which has been developed according to the latest fashion.

Everyday

- Gender: Female
- Upper: Buff Smooth Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD
- Technology: TUNNEL SYSTEM®
- Temperature: up to 100°C-110°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 3-8



Derby

- Gender: Female
- Upper: Buff Smooth Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD
- Technology: TUNNEL SYSTEM®
- Temperature: up to 100°C-110°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 3-8



T-Bar

- Gender: Female
- Upper: Buff Smooth Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD
- Technology: TUNNEL SYSTEM®
- Temperature: up to 100°C-110°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 3-8




GUMBOOT

Bata Industrial Gumboot is made from injected PVC specially formulated for the correct work application. The utility design is reinforced at the heel ankle and is durable as well as flexible. They feature a full comfort insole and offer great comfort for even long work shifts.


PVC – Mono

- Gender: Male
- Upper: Full PVC Water Proof
- Lining: Non-woven & Mesh Lining
- Toe: 100 ±4 J Steel / Without toe
- Sole: PVC
- Technology: SHOCK ABSORBER
- Temperature: up to 100°C-110°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 6-10



PVC – BI

- Gender: Male
- Upper: Full PVC Water Proof
- Lining: Drill Cloth
- Toe: 100 ±4 J Steel / Without toe
- Sole: PVC
- Technology: SHOCK ABSORBER
- Temperature: up to 100°C-110°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 6-10



3 Button Boot

- Gender: Male
- Upper: Full PVC Water Proof
- Lining: Drill Cloth
- Toe: 100 ±4 J Steel / Without toe
- Sole: PVC
- Technology: SHOCK ABSORBER
- Temperature: up to 100°C-110°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 6-10




RAYO

The design and performance of safety footwear has evolved. Shoes that not only keep you safer, but reduce fatigue and keep the wearer energized have become a key driver for us. State-of-the-art footwear design, combined with high-tech materials and technologies, means that our range of Rayo shoes look and feel like no other safety shoe you've worn before. Our new last designs offer an exceptional level of fit and comfort.


Derby

- Gender: Male
- Upper: Buff Smooth Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



Oxford

- Gender: Male
- Upper: Buff Smooth Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12



High Cut

- Gender: Male
- Upper: Buff Smooth Leather
- Lining: Non-woven & Mesh Lining
- Toe: 200 ±4 J Steel
- Sole: PU SD & DD
- Technology: TUNNELSYSTEM®
- Temperature: upto 100°C-120°C
- Sole Features: Oil, Diluted Acid and Slip resistant
- Colour: Black
- Size: 5-12

